



# MATERIAL SAFETY DATA SHEET

VERSION 2 - CLP-GHS CLASSIFICATIONS (EC) No. 1272/2008



Ref: 049S – SHOWER TIGHT & WET-ROOM Tanking Kit

## 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND COMPANY:

- 1.1 Product Name:** **SHOWER-TIGHT & WET-ROOM TANKING KIT**
- 1.2 Applications:** Liquid water-proof under-tile protective membrane
- 1.3 Supplier:** Palace Chemicals Ltd; Speke Hall Industrial Estate; Speke; Liverpool; L24 1YA  
Tel: 0151 486 6101; Fax 0151 448 1982  
e-mail: [sales@palacechemicals.co.uk](mailto:sales@palacechemicals.co.uk); web: [www.palacechemicals.co.uk](http://www.palacechemicals.co.uk)
- 1.4 Emergency Telephone No.** Tel: 0151 486 6101 – Mon-Fri: 0800 - 1800

## 2. HAZARDS IDENTIFICATION:

**2.1 Classifications:**  
(EC) No. 1272/2008

**Hazard phrases:** EUH208 - Contains: 1,2-benzisothiazol-3(2H)-one. May cause an allergic reaction

**Signal word:** None Applicable

**Precautionary phrases:** P102 Keep out of reach of children.  
P262 Do not get in eyes, on skin, or on clothing.  
P280 Wear protective clothing, gloves, eye and face protection.  
P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**2.3 Other Hazards:** This product is not classified as hazardous according to current CHIP legislation  
This product does not contain any PBT substances.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS:

- 3.1 Substances:** Not Applicable
- 3.2 Mixtures:** Viscous blend of styrene butadiene copolymer emulsion & calcium carbonate filler

Name:	CAS No.:	EC No	Concentration:	Classification:
Styrene Butadiene copolymer	2768-02-7	220-449-8	30.0 – 45.0%	n/a
Calcium carbonate	471-34-1		40.0 - 50.0% w/w	n/a
1,2-benzisothiazol-3(2H)-one	2634-33-5	220-088-00-6	< 150ppm	H318, H400, H411, H302, H315, H317
Zinc Pyrithione	13463-41-7	236-671-3	< 50ppm	H301, H318, H330 H400, H410

## 4. FIRST AID MEASURES:

### 4.1 Description of measures:

- EYE CONTACT:** Bathe eyes in running water for 15 minutes.
- INHALATION:** If irritation persists then consult a doctor
- SKIN CONTACT:** Irrigate thoroughly for 15 minutes with clean running water or a boric saline eye wash bottle. Seek medical attention should eye irritation persist or become inflamed.
- INGESTION:** Clean out mouth with copious volumes of water and drink plenty. Do not induce vomiting. Beware of aspiration if vomiting occurs. Seek prompt medical attention and show this data sheet

### 4.2 Acute & Chronic symptoms:

- Inhalation:** Inhalation of vapours may cause throat & chest irritation.
- Skin Contact:** Skin Contact may cause mild irritation & redness if unattended.
- Eye Contact:** Eye contact may cause redness and transient pain.
- Ingestion:** Ingestion may cause irritation of the throat.

**4.3 Immediate medical attention:** Not applicable

## 5. FIRE FIGHTING MEASURES:

- 5.1 Extinguishing media:** Alcohol or polymer foam. Carbon dioxide. Dry chemical powder. Use water spray to cool containers.
- 5.2 Combustion Hazards:** Hazardous decomposition when subject to combustion – will produce noxious, irritating fumes.
- 5.3 Advice for fire-fighters:** In combustion emits toxic fumes wear self-contained breathing apparatus & protective clothing for skin & eyes

## 6. ACCIDENTAL RELEASE MEASURES:

- 6.1 Personal protection:** Refer to section 8 of SDS for personal protection details.
- 6.2 Environmental precautions:** Do not allow spill to enter drains or watercourses. Absorb bund and scrape spillages onto sand, sawdust or absorbent granules.
- 6.3 Spill removal methods:** Absorb wet product and remove it by mechanical means or wash fresh spills with water & detergent

## 7. HANDLING & STORAGE:

- 7.1 Safe handling precautions:** Avoid direct contact with the product.
- 7.2 (a) Safe storage conditions:** Store in cool, well ventilated area. Keep container tightly closed.
- 7.2 (b) Incompatible materials:** n/a
- 7.3 Specific end uses:** The identified uses for this product are detailed in Section 1.2.

## 8. EXPOSURE CONTROLS & PERSONAL PROTECTION:

### 8.1 Control parameters

**Substance:** Workplace exposure limits are not applicable to this product>

### 8.2 Exposure controls:

**Engineering controls:** Ensure there is sufficient ventilation of the area.

**Respiratory protections:** Respiratory protection is not required.

**Hand protection:** The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

**Eye protection:** BS 2092 Goggles should be worn for all applications to help prevent accidental face/eye contact. The availability of an eye bath or eyewash is also advised

**Skin protection:** A disposable PVC apron should be worn on top of overalls, however if the fabric becomes contaminated these should be laundered immediately



## 9. PHYSICAL & CHEMICAL PROPERTIES:

<b>Appearance:</b>	Grey thixotropic paste	<b>Relative density:</b>	1.50 +/- 0.05 @ 20°C
<b>Odour:</b>	Feint ammoniacal	<b>Water solubility:</b>	Partial
<b>Odour threshold:</b>	N/D	<b>Solubility in oils:</b>	Insoluble
<b>pH:</b>	8.5 – 9.8	<b>Partition coefficient (Kow):</b>	N/D
<b>Flash point:</b>	N/A	<b>Auto-ignition temperature:</b>	N/D
<b>Melting point:</b>	N/D	<b>Decomposition temperature:</b>	n/d
<b>Boiling point:</b>	100°C	<b>Evaporation rate:</b>	n/d
<b>Evaporation rate:</b>	As water	<b>Viscosity:</b>	8000 - 12000 mPa.s
<b>Upper/Lower Flam limits:</b>	N/A	<b>Explosive properties:</b>	n/d
<b>Vapour pressure:</b>	N/A	<b>Oxidising properties:</b>	n/a
<b>Vapour density:</b>	N/D	<b>Particle size:</b>	n/a



# MATERIAL SAFETY DATA SHEET

VERSION 2 - CLP-GHS CLASSIFICATIONS (EC) No. 1272/2008



## 10. STABILITY & REACTIVITY:

<b>10.1 Conditions to avoid:</b>	Heat & sources of ignition	<b>10.4 Reactivity:</b>	Stable
<b>10.2 Incompatible Materials:</b>	Oxidising agents & Acids	<b>10.5 Chemical reactivity:</b>	As above
<b>10.3 Decomposition hazards:</b>	Carbon oxides & fine particulates	<b>10.6 Risk of hazardous reaction:</b>	As above

## 11. TOXICOLOGICAL INFORMATION:

**11.1 Information on toxicological effects:** This product has not been tested. Judgements on the expected toxicity of this product have been made based upon consideration of its' major components.

<b>Routes of exposure:</b>	Inhalation & ingestion	<b>Skin Corrosivity / Irritation:</b>	Irritating to skin
<b>Eye damage/irritation:</b>	May cause redness & pain	<b>Respiratory/skin sensitisation:</b>	None known
<b>Reproductive toxicity:</b>	None known	<b>Germ cell Mutagenicity:</b>	None known
<b>STOT single exposure:</b>	None known	<b>Carcinogenicity:</b>	None known
<b>STOT repeat exposure:</b>	None known	<b>Aspiration hazard:</b>	n/a

## 12. ECOLOGICAL INFORMATION:

<b>12.1 Ecotoxicity:</b>	Negligible eco-toxicity.	<b>12.4 Mobility in soil:</b>	No data available
<b>12.2 Bio-accumulative potential:</b>	No data available	<b>12.5 PBT and vPvB result:</b>	No
<b>12.3 Persistence &amp; degradability:</b>	No data available	<b>12.6 Other effects:</b>	Harmful to aquatic organisms

## 13. DISPOSAL CONSIDERATIONS:

**13.1 Waste treatment Methods:** Waste material code (91/689/EEC, Council Decision 2001/118/EC, O.J L47 of 16/2/2002):

Unused product must be disposed of in accordance with local authority regulations

## 14. TRANSPORT INFORMATION:

**Transport Labels:** NOT Classified a hazardous for Transport

**Regulatory Code (Land, Sea & Air):**

- 14.1 UN No.:
- 14.2 Proper shipping name:
- 14.3 Classification code:
- 14.4 Class:
- 14.5 Environmental hazards.
- 14.6 Special user precautions:
- 14.7 Transport Category:
- 14.8 Emergency Action Code
- 14.9 Hazard Identification Number

## 15. REGULATORY INFORMATION:

### 15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture

All components are listed as existing substances in Europe

#### UK Regulatory References:

Health and Safety at Work Act 1974. The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments. Chemicals (Hazard Information & Packaging) Regulations. Environmental Listing - Control of Pollution Act 1974. Control of Pollution (Special Waste Regulations) Act 1980.

#### Statutory Instruments:

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716). Approved Code Of Practice Classification and Labelling of Substances and Preparations Dangerous for Supply.

#### Guidance Notes:

Workplace Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS(G)37. CHIP for everyone HSG(108).



# MATERIAL SAFETY DATA SHEET

VERSION 2 - CLP-GHS CLASSIFICATIONS (EC) No. 1272/2008



## EU Legislation:

This safety data sheet has been prepared in accordance with Commission Regulation (EU) No. 453/2010

Dangerous Substance Directive 67/548/EEC.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European

Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

## National Regulations:

Users of this product are reminded of their duties under the current Control of Substances Hazardous to Health Regulations and a suitable and sufficient assessment of all the risk should be undertaken before using this product.

**Authorisations (Title VII Regulation 1907/2006)** - No specific authorisations are noted for this product.

**Restrictions (Title VIII Regulation 1907/2006)** - No specific restrictions of use are noted for this product.

## 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this product.

## 16. OTHER INFORMATION:

Last revision date: 24<sup>th</sup> January 2020

SDS No.: 049S

### List of abbreviations used in this SDS:

<b>CAS</b>	Chemical abstracts service
<b>CLP</b>	Classification, labelling & packaging regulation (EC) No. 1272/2008
<b>DSD</b>	Dangerous substances Directive 67/548/EEC
<b>DPD</b>	Dangerous Products Directive 1999/45/EC
<b>PBT</b>	Persistent, Bio-accumulative & Toxic
<b>REACH</b>	Registration, Evaluation, Authorisation & Restriction of Chemicals Regulation (EC) 1907/2006
<b>vPvB</b>	Very Persistent, very Bio-accumulative

### References:

EH40 as published  
The Chemical (Hazard Information and Packaging for Supply) Regulations 2009 SI 2009/716 (**CHIP 4**)  
The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 SI 2009/1348 (**CDG 2009**)  
Dangerous Goods Emergency Action Code List 2011  
Hazardous Waste (England and Wales) Regulations 2005 SI 2005/894 (**HWR**)  
The List of Wastes (England) Regulations 2005 SI 2005/895 (**LoWR**)  
The Approved Classification and Labelling Guide (sixth edition)  
"Registration, Evaluation, Authorisation and Restriction of Chemicals (**REACH**)" 1907/2006/EC  
The Classification, Labelling and Packaging Regulation (EC) No. 1272/2008 (**CLP**)

**Classification & methods:** This safety data sheet is prepared in accordance with Regulation (EC) No 1907/2006.

**Classification:** Aquatic chronic (Category 3).

**H Phrases in section 3:** H301 - Toxic if swallowed  
H311.- Toxic in contact with skin  
H314 - Causes severe skin burns and eye damage  
H317 - May cause an allergic skin reaction  
H318 – Causes serious eye damage  
H332 - Harmful if inhaled  
H411 - Toxic to aquatic life with long lasting effects

### Training for workers:

#### Disclaimer:

The information supplied in this safety data sheet is intended to assist in the use of the above product without risk to safety and health and is based on current knowledge and experience of the associated physico-chemical hazards. The data does not signify any warranty with regard to the product's properties. This information may be used to assist in formulating a COSHH risk assessment if applied at work. This data sheet complies with EC Directive 91/155EC.



# MATERIAL SAFETY DATA SHEET

VERSION 2 - CLP-GHS CLASSIFICATIONS (EC) No. 1272/2008



Ref: 049P - SHOWER TIGHT & WET-ROOM - Primer

## 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND COMPANY:

- 1.1 Product Name:** **SHOWER-TIGHT & WET-ROOM PRIMER**
- 1.2 Applications:** Liquid Primer, sealer & bonding agent
- 1.3 Supplier:** Palace Chemicals Ltd; Speke Hall Industrial Estate; Speke; Liverpool; L24 1YA  
Tel: 0151 486 6101; Fax 0151 448 1982  
e-mail: [sales@palacechemicals.co.uk](mailto:sales@palacechemicals.co.uk); web: [www.palacechemicals.co.uk](http://www.palacechemicals.co.uk)
- 1.4 Emergency Telephone No.** Tel: 0151 486 6101 – Mon-Fri: 0800 - 1800

## 2. HAZARDS IDENTIFICATION:

- 2.1 Classification:** n/a  
(EC 1272/2008)
- 2.2 Label elements:** n/a
- Hazard statements:** n/a
- Precautionary statements:** n/a
- 2.3 Other Hazards:** This product is not classified as hazardous according to current CHIP legislation  
This product does not contain any PBT substances.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS:

- 3.1 Substances:** Not Applicable
- 3.2 Mixtures:** Emulsion of styrene butadiene copolymer

Name:	CAS No.:	EC No	Concentration:	Classification:
STYRENE BUTADIENE COPOLYMER	2768-02-7	220-449-8	30.0 – 45.0%	n/a
1,2-benzisothiazol-3(2H)-one	2634-33-5	220-088-00-6	< 150ppm	H318, H400, H411, H302, H315, H317
Zinc Pyrithione	13463-41-7	236-671-3	< 50ppm	H301, H318, H330 H400, H410

## 4. FIRST AID MEASURES:

- 4.1 Description of measures:**
- EYE CONTACT:** Bathe eyes in running water for 15 minutes.
- INHALATION:** If irritation persists then consult a doctor
- SKIN CONTACT:** Irrigate thoroughly for 15 minutes with clean running water or a boric saline eye wash bottle. Seek medical attention should eye irritation persist or become inflamed.
- INGESTION:** Clean out mouth with copious volumes of water and drink plenty. Do not induce vomiting. Beware of aspiration if vomiting occurs. Seek prompt medical attention and show this data sheet
- 4.2 Acute & Chronic symptoms:**
- Inhalation:** Inhalation of vapours may cause throat & chest irritation.
- Skin Contact:** Skin Contact may cause mild irritation & redness if unattended.
- Eye Contact:** Eye contact may cause redness and transient pain.
- Ingestion:** Ingestion may cause irritation of the throat.
- 4.3 Immediate medical attention:** Not applicable



# MATERIAL SAFETY DATA SHEET

VERSION 2 - CLP-GHS CLASSIFICATIONS (EC) No. 1272/2008



## 5. FIRE FIGHTING MEASURES:

- 5.1 Extinguishing media:** Alcohol or polymer foam. Carbon dioxide. Dry chemical powder. Use water spray to cool containers.
- 5.2 Combustion Hazards:** Hazardous decomposition when subject to combustion – will produce noxious, irritating fumes.
- 5.3 Advice for fire-fighters:** In combustion emits toxic fumes wear self-contained breathing apparatus & protective clothing for skin & eyes

## 6. ACCIDENTAL RELEASE MEASURES:

- 6.1 Personal protection:** Refer to section 8 of SDS for personal protection details.
- 6.2 Environmental precautions:** Do not allow spill to enter drains or watercourses. Absorb bund and scrape spillages onto sand, sawdust or absorbent granules.
- 6.3 Spill removal methods:** Absorb wet product and remove it by mechanical means or wash fresh spills with water & detergent

## 7. HANDLING & STORAGE:

- 7.1 Safe handling precautions:** Avoid direct contact with the product.
- 7.2 (a) Safe storage conditions:** Store in cool, well ventilated area. Keep container tightly closed.
- 7.2 (b) Incompatible materials:** n/a
- 7.3 Specific end uses:** The identified uses for this product are detailed in Section 1.2.

## 8. EXPOSURE CONTROLS & PERSONAL PROTECTION:

### 8.1 Control parameters

**Substance:** Workplace exposure limits are not applicable to this product>

### 8.2 Exposure controls:

**Engineering controls:** Ensure there is sufficient ventilation of the area.

**Respiratory protections:** Respiratory protection is not required.

**Hand protection:** The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

**Eye protection:** BS 2092 Goggles should be worn for all applications to help prevent accidental face/eye contact. The availability of an eye bath or eyewash is also advised

**Skin protection:** A disposable PVC apron should be worn on top of overalls, however if the fabric becomes contaminated these should be laundered immediately



## 9. PHYSICAL & CHEMICAL PROPERTIES:

<b>Appearance:</b>	White liquid	<b>Relative density:</b>	1.04 +/- 0.01 @ 20°C
<b>Odour:</b>	Feint ammoniacal	<b>Water solubility:</b>	Soluble
<b>Odour threshold:</b>	N/D	<b>Solubility in oils:</b>	Insoluble
<b>pH:</b>	8.5 – 9.8	<b>Partition coefficient (Kow):</b>	N/D
<b>Flash point:</b>	N/A	<b>Auto-ignition temperature:</b>	N/D
<b>Melting point:</b>	N/D	<b>Decomposition temperature:</b>	n/d
<b>Boiling point:</b>	N/A	<b>Evaporation rate:</b>	n/d
<b>Evaporation rate:</b>	As water	<b>Viscosity:</b>	100 mPa.s
<b>Upper/Lower Flam limits:</b>	N/A	<b>Explosive properties:</b>	n/d
<b>Vapour pressure:</b>	N/A	<b>Oxidising properties:</b>	n/a
<b>Vapour density:</b>	N/D	<b>Particle size:</b>	n/a



# MATERIAL SAFETY DATA SHEET

VERSION 2 - CLP-GHS CLASSIFICATIONS (EC) No. 1272/2008



## 10. STABILITY & REACTIVITY:

<b>10.1 Conditions to avoid:</b>	Heat & sources of ignition	<b>10.4 Reactivity:</b>	Stable
<b>10.2 Incompatible Materials:</b>	Oxidising agents & Acids	<b>10.5 Chemical reactivity:</b>	As above
<b>10.3 Decomposition hazards:</b>	Carbon oxides & fine particulates	<b>10.6 Risk of hazardous reaction:</b>	As above

## 11. TOXICOLOGICAL INFORMATION:

**11.1 Information on toxicological effects:** This product has not been tested. Judgements on the expected toxicity of this product have been made based upon consideration of its' major components.

<b>Routes of exposure:</b>	Inhalation & ingestion	<b>Skin Corrosivity / Irritation:</b>	Irritating to skin
<b>Eye damage/irritation:</b>	May cause redness & pain	<b>Respiratory/skin sensitisation:</b>	None known
<b>Reproductive toxicity:</b>	None known	<b>Germ cell Mutagenicity:</b>	None known
<b>STOT single exposure:</b>	None known	<b>Carcinogenicity:</b>	None known
<b>STOT repeat exposure:</b>	None known	<b>Aspiration hazard:</b>	n/a

## 12. ECOLOGICAL INFORMATION:

<b>12.1 Ecotoxicity:</b>	Negligible eco-toxicity.	<b>12.4 Mobility in soil:</b>	No data available
<b>12.2 Bio-accumulative potential:</b>	No data available	<b>12.5 PBT and vPvB result:</b>	No
<b>12.3 Persistence &amp; degradability:</b>	No data available	<b>12.6 Other effects:</b>	Harmful to aquatic organisms

## 13. DISPOSAL CONSIDERATIONS:

**13.1 Waste treatment Methods:** Waste material code (91/689/EEC, Council Decision 2001/118/EC, O.J L47 of 16/2/2002):

Unused product must be disposed of in accordance with local authority regulations

## 14. TRANSPORT INFORMATION:

**Transport Labels:** NOT Classified a hazardous for Transport

**Regulatory Code (Land, Sea & Air):**

- 14.1 UN No.:
- 14.2 Proper shipping name:
- 14.3 Classification code:
- 14.4 Class:
- 14.5 Environmental hazards.
- 14.6 Special user precautions:
- 14.7 Transport Category:
- 14.8 Emergency Action Code
- 14.9 Hazard Identification Number

## 15. REGULATORY INFORMATION:

### 15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture

All components are listed as existing substances in Europe

#### UK Regulatory References:

Health and Safety at Work Act 1974. The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments. Chemicals (Hazard Information & Packaging) Regulations. Environmental Listing - Control of Pollution Act 1974. Control of Pollution (Special Waste Regulations) Act 1980.

#### Statutory Instruments:

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716). Approved Code Of Practice Classification and Labelling of Substances and Preparations Dangerous for Supply.

#### Guidance Notes:

Workplace Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS(G)37. CHIP for everyone HSG(108).



# MATERIAL SAFETY DATA SHEET

VERSION 2 - CLP-GHS CLASSIFICATIONS (EC) No. 1272/2008



## EU Legislation:

This safety data sheet has been prepared in accordance with Commission Regulation (EU) No. 453/2010

Dangerous Substance Directive 67/548/EEC.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European

Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

## National Regulations:

Users of this product are reminded of their duties under the current Control of Substances Hazardous to Health Regulations and a suitable and sufficient assessment of all the risk should be undertaken before using this product.

**Authorisations (Title VII Regulation 1907/2006)** - No specific authorisations are noted for this product.

**Restrictions (Title VIII Regulation 1907/2006)** - No specific restrictions of use are noted for this product.

15.2

## Chemical safety assessment

A chemical safety assessment has not been carried out for this product.

## 16. OTHER INFORMATION:

**Last revision date:** 24<sup>th</sup> January 2020

**SDS No.:** 049P - Tanking Kit - Primer

### List of abbreviations used in this SDS:

<b>CAS</b>	Chemical abstracts service
<b>CLP</b>	Classification, labelling & packaging regulation (EC) No. 1272/2008
<b>DSD</b>	Dangerous substances Directive 67/548/EEC
<b>DPD</b>	Dangerous Products Directive 1999/45/EC
<b>PBT</b>	Persistent, Bio-accumulative & Toxic
<b>REACH</b>	Registration, Evaluation, Authorisation & Restriction of Chemicals Regulation (EC) 1907/2006
<b>vPvB</b>	Very Persistent, very Bio-accumulative

### References:

EH40 as published  
The Chemical (Hazard Information and Packaging for Supply) Regulations 2009 SI 2009/716 (**CHIP 4**)  
The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 SI 2009/1348 (**CDG 2009**)  
Dangerous Goods Emergency Action Code List 2011  
Hazardous Waste (England and Wales) Regulations 2005 SI 2005/894 (**HWR**)  
The List of Wastes (England) Regulations 2005 SI 2005/895 (**LoWR**)  
The Approved Classification and Labelling Guide (sixth edition)  
"Registration, Evaluation, Authorisation and Restriction of Chemicals (**REACH**)" 1907/2006/EC  
The Classification, Labelling and Packaging Regulation (EC) No. 1272/2008 (**CLP**)

### Classification & methods:

This safety data sheet is prepared in accordance with Regulation (EC) No 1907/2006.

### Classification:

Aquatic chronic (Category 3).

### H Phrases in section 3:

H301 - Toxic if swallowed  
H311.- Toxic in contact with skin  
H314 - Causes severe skin burns and eye damage  
H317 - May cause an allergic skin reaction  
H318 - Causes serious eye damage  
H332 - Harmful if inhaled  
H411 - Toxic to aquatic life with long lasting effects

### Training for workers:

#### Disclaimer:

The information supplied in this safety data sheet is intended to assist in the use of the above product without risk to safety and health and is based on current knowledge and experience of the associated physico-chemical hazards. The data does not signify any warranty with regard to the product's properties. This information may be used to assist in formulating a COSHH risk assessment if applied at work. This data sheet complies with EC Directive 91/155EC.